

NON-SULFATE SALON PEARL SHAMPOO w/ DIMETHISIL® HNH

<u>FORMULATION:</u>	<u>% WT.</u>
A. Deionized Water	65.25
B. Jaguar C14S (Rhodia) <i>Guar Hydroxypropyl Trimonium Chloride</i>	0.10
C. Mirataine BET-C-30 (Rhodia) <i>Cocamidopropyl Betaine</i>	6.00
D. Amisoft CT-12 (Ajinomoto) <i>TEA-Cocoyl Glutamate</i>	4.00
E. Ethoquad O/12 PG (Akzo Nobel) <i>PEG-2 Oleamonium Chloride</i>	0.50
F. Jordapon CI-65 Flake (BASF) <i>Sodium Cocoyl Isethionate (and) Stearic Acid</i>	20.00
G. Alkamuls EGDS (Rhodia) <i>Glycol Distearate</i>	1.00
H. Dimethisil® HNH-MV (Chemsil Silicones, Inc.) <i>Propoxytetramethyl Piperidinyl Dimethicone</i>	0.75
I. Hydantol 55KC (KCI Limited) <i>DMDM Hydantion</i>	0.40
J. Aqua SF-1 (Noveon) <i>Acrylates Copolymer</i>	2.00
K. TEA 99%	Q.S to pH 6.5

PROCEDURE:

1. Add ingredients A-H while heating to 80°C
2. Turn off heat after product is homogeneous & continue mixing.
3. At 50°C, add ingredients I. Continue mixing while product is cooling.
4. At 40°C, stop mixing and allow batch to sit 24 hours for pearl to develop.
5. After 24 hours, start mixing and add ingredients J, K, and L.

Product Code: CRL-03-73D
10.2008

STATEMENTS AND METHODS PRESENTED ARE BASED UPON THE BEST AVAILABLE INFORMATION AND PRACTICES KNOWN TO CHEMSIL SILICONES, INC. AT PRESENT, BUT ARE NOT REPRESENTATIONS OR WARRANTIES OF PERFORMANCE, RESULT OR COMPREHENSIVENESS, NOR DO THEY IMPLY ANY RECOMMENDATIONS TO INFRINGE ANY PATENT OR AN OFFER OF LICENSE UNDER ANY PATENT.

*We Provide **YOUR** Silicone Solutions™*