

VELVETY FACIAL TREATMENT w/ CHEMSIL K-51

FORMULATION:

% WT.

PHASE I:

A.	Chemsil K-12 (Chemsil Silicones, Inc.) <i>Dimethicone (and) Dimethicone/PhenylVinyl Dimethicone Crosspolymer</i>	4.00
B.	Chemsil K-51 (Chemsil Silicones, Inc.) <i>Cyclomethicone (and) Dimethicone/PhenylVinyl Dimethicone Crosspolymer</i>	3.00
C.	KF-6017 (Shin Etsu Silicones) <i>PEG-10 Dimethicone</i>	0.30
D.	Dimethisil® DM-6 (Chemsil Silicones, Inc.) <i>Dimethicone</i>	10.70

PHASE II:

E.	1,3 Butylene Glycol	8.00
F.	Sodium Citrate	0.20
G.	Sodium Chloride	0.50
H.	Ethyl Alcohol	5.00
I.	Deionized Water	68.30

PROCEDURE:

1. PHASE I: Combine A, B, C, and D with stirring.
2. PHASE II: In a separate vessel, combine E, F, G, H, and I with stirring.
3. Add PHASE II to PHASE I with stirring.

Product Code: CRL-RG1-1020

10.2008

STATEMENTS AND METHODS PRESENTED ARE BASED UPON THE BEST AVAILABLE INFORMATION AND PRACTICES KNOWN TO CHEMSIL SILICONES, INC. AT PRESENT, BUT ARE NOT REPRESENTATIONS OR WARRANTIES OF PERFORMANCE, RESULT OR COMPREHENSIVENESS, NOR DO THEY IMPLY ANY RECOMMENDATIONS TO INFRINGE ANY PATENT OR AN OFFER OF LICENSE UNDER ANY PATENT.

*We Provide **YOUR** Silicone Solutions™*