

## MOISTURE RICH AGE DEFYING PRIMER w/ **GEALAI**<sup>®</sup> CPE

<b><u>FORMULATION:</u></b>			<b><u>% WT.</u></b>
A1	<b>GELAID<sup>®</sup> CPE</b> <i>Cyclopentasiloxane (and) Dimethicone/Vinyl Dimethicone Crosspolymer (and) Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer</i>	<b>CHEMSIL SILICONES, INC.</b>	<b>25.0</b>
A2	<b>EMULSIL<sup>®</sup> S-397</b> <i>PEG-10 Dimethicone</i>	<b>CHEMSIL SILICONES, INC.</b>	1.30
A3	Myritol 312 <i>Caprylic/Capric Triglycerides</i>	BASF	4.00
A4	Cegesoft PFO <i>Passiflora Incarnata (Passionflower) Seed Oil</i>	BASF	2.50
A5	Cetiol V <i>Decyl Oleate</i>	BASF	2.00
B1	Deionized Water		50.85
B2	Propylene Glycol		3.00
B3	<b>CHEMSIL SPD</b> <i>Dimethicone/Vinyl Dimethicone Crosspolymer</i>	<b>CHEMSIL SILICONES, INC.</b>	<b>10.00</b>
B4	Dowicil 200 <i>DMDM Hydantoin (and) Iodopropynyl Butylcarbamate</i>	Dow Chemical	0.10
C1	Simulgel 600 <i>Acrylamide/Sodium Acryloyldimethyl Taurate Copolymer/Isohexadecane/Polysorbate 80</i>	Seppic	1.25

**PROCEDURE:**

1. Add A1 to A4 in order to main mixing vessel. Mix for 10 minutes.
2. Add B1 to B4 in a separate mixing vessel and mix until uniform. Slowly add to the main mixing vessel w/high-speed mixing and mix for 20 minutes.
3. Slowly add C1 and mix for 20 minutes.

**SPECIFICATIONS:**

Appearance: White, Semi-Viscous Emulsion

pH: 5.4

Sp. Gravity: 0.980

Viscosity (RVT, T-C@10 rpm): 28,000 cs

**Product Code: CRL-11-78B**

4/30/12

STATEMENTS AND METHODS PRESENTED ARE BASED UPON THE BEST AVAILABLE INFORMATION AND PRACTICES KNOWN TO CHEMSIL SILICONES, INC. AT PRESENT, BUT ARE NOT REPRESENTATIONS OR WARRANTIES OF PERFORMANCE, RESULT OR COMPREHENSIVENESS, NOR DO THEY IMPLY ANY RECOMMENDATIONS TO INFRINGE ANY PATENT OR AN OFFER OF LICENSE UNDER ANY PATENT.

We Provide **YOUR** Silicone Solutions <sup>TM</sup>